


Fork Carriage T013

to enlarge the width of the original fork carriage or as false carriage for fork drop-off



Specification:

The existing fork carriage of the forklift truck can be extended with a KAUP Fork Carriage type T013. It can also be used for quick change between attachments and/or forks.

Upon request KAUP Fork Carriages can be supplied to increase the lost load centre and as adapter fork carriage between the forklift truck and other attachments.



Attachment is serially designed without sideshift. It can be fitted with separate or valveblock sidesift upon request.



Attachment can be fitted with load backrest model T179.



Please note the additional information below the data table.



Attachment supplied serially without forks. All forks in accordance with ISO 2330 can be used. Matching forks model T180 are available.

Technical specifications

Model								
2T013	2.500	600	920	2	65	38	206	68
2T013	2.500	600	980	2	65	39	206	70
2T013	2.500	600	1.020	2	65	39	206	72
2T013	2.500	600	1.040	2	65	39	206	73
2T013	2.500	600	1.150	2	65	41	205	93
2T013	2.500	600	1.600	2	75	49	203	143
3T013	3.000	500	1.020	3	75	46	256	101
3T013	3.000	500	1.070	3	75	46	256	105
3T013	3.000	500	1.100	3	75	46	256	107
3T013	3.000	500	1.150	3	75	47	256	110
3T013	3.000	500	1.300	3	75	48	255	127
3T013	3.000	500	1.600	3	85	55	254	203
4,8T013	5.000	600	1.150	3	75	42	278	128
4,8T013	5.000	600	1.200	3	75	42	277	132
4,8T013	5.000	600	1.300	3	75	43	275	145
4,8T013	5.000	600	1.310	3	75	43	275	145
4,8T013	5.000	600	1.350	3	75	44	274	148
4,8T013	5.000	600	1.410	3	75	44	274	152
4,8T013	5.000	600	1.600	3	85	51	267	220

Model								
4,8T013	5.000	600	1.800	3	85	52	266	237
4,8T013	5.000	600	2.000	3	85	53	265	255
8T013	8.000	600	1.400	4	90	51	352	246
8T013	8.000	600	1.800	4	100	60	345	348
8T013	8.000	600	2.180	4	100	61	342	397
8T013	8.000	600	2.260	4	110	67	338	466



Qualities:

- Solid construction for heavy duty operation
- Best visibility



- Load Backrest see model T179.
- Other construction widths available upon request.
- Available in combination with quick release bottom hooks for quick change fork applications to other attachments.
- Fork Carriage with artificial lost load center distance available upon request.

Product Images

