


Carpet Carrying Ram T185BT



Specification:

The Carpet Carrying Ram T185BT from KAUP can be used to transport carpet rolls with a small core diameter. The very slim and long mandrels should be about 2/3 of the roll length. This means that, for example, a mandrel length of 3,500 mm can be used to transport a 5,000 mm long carpet roll.



Carpet Carrying Ram T185BT

Technical specifications

Model													
1T185BT.2	45	500	495	55	1.000	600	500	2	30	116	169	57	1,25
1T185BT.2	50	500	495	55	1.000	800	500	2	30	139	163	61	1,54
1T185BT.2	55	500	495	55	1.000	1.000	500	2	30	156	158	64	1,86
1,5T185BT.2	60	500	495	55	1.000	1.300	500	2	40	150	161	81	2,22
1,5T185BT.2	65	500	495	55	1.000	1.700	500	2	40	159	156	84	2,60
2T185BT.2	70	500	495	55	1.000	2.100	500	2	40	172	152	88	3,02
2T185BT.2	75	500	495	55	1.000	2.600	500	2	40	189	150	95	3,46
3T185BT.3	80	500	600	55	1.000	3.200	500	3	45	171	191	116	3,94
3T185BT.3	85	500	600	55	1.000	3.800	500	3	45	201	183	123	4,45
4T185BT.3	90	500	600	55	1.000	4.400	500	3	55	192	186	144	4,99
4T185BT.3	95	500	600	55	1.000	5.200	500	3	55	202	181	149	5,56
5T185BT.4	100	600	760	55	1.000	6.000	500	4	55	169	245	202	6,16
6T185BT.4	110	600	760	55	1.000	7.500	500	4	55	184	235	213	7,46
7T185BT.4	120	600	760	80	1.000	10.000	500	4	70	175	221	264	8,88
8T185BT.4	130	600	760	80	1.000	12.000	500	4	70	198	211	280	10,42



Qualities:

- Manufactured from steel with high tensile and yield strength
- Solid design
- Mounted directly on to the fork carriage
- Optionally to slip-on forklift truck forks
- Variation for handling Big Bags available



- Ram length to be at least 2/3 of roll length
- Other ISO-classes than indicated are available upon request.

Product Images

