


## **Drum Tipping Clamp T406H/-2H**





### **Specification:**

With the KAUP Drum Tipping Clamp T406 H/-2H it is possible that cylindrical steel drums, however, also other containers can be dumped ahead. Moreover, it is feasible with the T406-2H-version of this attachment to take up recumbent drums and to bring them in a vertical position. For it clamp arms are serially vulcanised with rubber.



Attachment is serially designed without sideshift. It can be fitted with separate or valveblock sidesift upon request.



Attachment is hydraulically tiltable by 180°.



Attachment is operated hydraulically, i.e. supplied with oil from the forklift truck's hydraulic system. Truck requires two additional hydraulic functions.



Attachment can be fitted with load backrest model T479. The load backrest model T479.1 is suitable for fork positioners T160B and T466B up to 4.8T.



Attachment is available for operation in explosion hazardous areas.



Attachment can be fitted with different types of contact pad surfaces specifically suited to the application.



# **Drum Tipping Clamp T406H/-2H**

### **Technical specifications**

Model														
1,5T406H	300	630	430-1.610	970	113	250	400	181	300	2	126	247	290	630
1,5T406-2H	300	630	430-1.610	970	113	250	400	181	300	2	126	268	312	630
2T406H	1.250	630	180-1.480	1.130	113	250	400	181	300	2	136	217	366	630
2T406-2H	1.250	630	180-1.480	1.130	113	250	400	181	300	2	136	240	386	630



### **Drum Tipping Clamp T406H/-2H**



#### **Qualities:**

- Good visibility conditions
- Good residual capacity
- Robust construction
- Up to 180° hydraulically tiltably



- Single arm drive = H, dual arm drive = 2H. With single arm drive only drums in vertical position can be handeld.
- The arms are coated with Remagrip (see coatings in the pricelist).
- Drum Tipping arms are also available as slip-on version for KAUP Fork Clamps (see models T106AH and T106A-2H).
- Also available with sideshift, model T416H (2H) on request
- Tipping Clamps for specific purpose (garbage bins, containers) and higher capacities available upon request.
- Available with arms for plastic drums upon request.

#### **Product Images**



