



### Fork Positioner for reach trucks T160BZ





#### **Specification:**

KAUP, as leading manufacturer of attachments, also has a comprehensive range of attachments for Reach Trucks. The Fork Positioner type T160BZ is one of them. Individual details regarding wheel arms and ground clearance as well as the possible width of the attachment and other technical details make Reach Trucks very complex. Therefore it is advisable to contact our specialists directly for an individual consultation regarding our attachments and accessories for Reach Trucks.



Attachment is serially designed without sideshift. It can be fitted with separate or valveblock sidesift upon request.



Attachment is operated hydraulically, i.e. supplied with oil from the forklift truck's hydraulic system. Truck requires one additional hydraulic function.



Attachment can be fitted with load backrest model T479. The load backrest model T479.1 is suitable for fork positioners T160B and T466B up to 4.8T.



Attachment supplied serially without forks. All forks in accordance with ISO 2330 can be used. Matching forks model T180 are available.



# Fork Positioner for reach trucks T160BZ

# **Technical specifications**

Model													
1,5T160BZ	1.330	600	150-510	750	750	40	100	1.200	2	71	265	124	187
1,5T160BZ	1.330	600	150-610	750	850	40	100	1.200	2	71	265	124	187
2T160BZ	2.080	600	110-470	750	750	45	120	1.200	2	71	304	109	222
2T160BZ	2.080	600	110-570	750	850	45	120	1.200	2	71	304	109	223
2,5T160BZ	2.500	600	110-470	750	750	50	120	1.200	2	71	303	114	240
2,5T160BZ	2.500	600	110-570	750	850	50	120	1.200	2	71	302	115	241



# Fork Positioner for reach trucks T160BZ



### **Qualities:**

- Hook-on Fork Positioner for Reach Trucks
- Very good residual capacity
- Excellent visibility
- Supplied with welded forks
- Supplied optionally with screw on forks for wear intensive operation



- Not suitable for clamping between the forks.
- Also available with valveblock sideshift.
- Load backrest see model T479 and T479.1
- with screw-on forks available upon request: ZA-Version

# **Product Images**