


## Ladle Tipper T360

with independent sideshift - tilt angle  
 $\alpha = 100^\circ$  to the right side in driving  
direction - 2 hydraulic functions



### Specification:

With the KAUP Ladle Tipper T360 underrun ladles can be taken up, be transported and be tipped to a side partially or completely. The construction of this attachment permits exact, selective emptying of the pouring good.

## Technical specifications

Model																	
1T360	800	500	±100	820	40	100	1.000	150	297	320	465	150	365	2	250	220	295
2T360	1.500	500	±100	1.040	50	150	1.000	210	390	545	760	635	400	2	314	263	675
3T360	2.500	500	±160	1.285	50	150	1.000	330	460	645	900	735	550	3	356	239	1.085
5T360	4.000	600	±200	1.890	60	160	1.000	175	630	880	890	990	525	4	460	282	1.430
7T360	6.000	600	±200	1.890	70	200	1.000	195	630	880	890	990	525	4	470	315	1.780
10T360	7.500	600	±200	1.775	80	200	1.000	480	670	910	1.035	1.045	730	4	565	385	2.600
12T360	9.000	700	±275	1.975	90	200	1.400	350	748	895	950	1.015	870	-	620	415	3.300



## Qualities:

- Tilting corner ? 100° to the right - to the left optionally
- Independent sideshift serially
- Terminal west / Pin-Type suspension on inquiry
- Fork pockets optionally



- Optional available for tilting to the left side in driving direction.
- 12T and above - Terminal West / Pin-Type mounting available upon request.

## Product Images

