



Pallet Turnover Clamp with Pusher T451WA





Specification:

Pallet Turnover Clamps with Pusher are put into operation when loads have to be transferred from a production pallet to a cheaper transport pallet (one way pallet) or directly loaded into containers, onto lorries or railway wagons. The palletized goods are picked up with the forks, clamped and turned 180°. When the clamp is opened, the load rests on both carrying plates and then can be pushed off onto the transport pallet into the container or directly onto the lorry or railway wagon.



Attachment rotates hydraulically by 360° endless in both directions.



Attachment is operated hydraulically, i.e. supplied with oil from the forklift truck's hydraulic system. Truck requires two additional hydraulic functions.



Attachment is serially designed without sideshift. It can be fitted with separate or valveblock sidesift upon request.



Attachment is available for operation in explosion hazardous areas.



Attachment is designed with toe-in on the tips which should be taken into account when choosing the opening range.



Attachment is available with cylinder and sideshifter protection.



Pallet Turnover Clamp with Pusher T451WA

Technical specifications

| Model | _ | | | | | | | | | | | | | | | | |
|---------|-------|-----|-------------|-------|-------|----|-----|-----|-------|-----|-------|--------|------|---|-----|-----|-------|
| 2T451WA | 1.400 | 600 | 700-1.200 | 1.100 | 1.250 | 50 | 150 | 650 | 1.200 | 565 | 1.045 | 7.700 | 9,7 | 2 | 422 | 455 | 1.082 |
| 2T451WA | 1.400 | 600 | 700-1.200 | 1.100 | 1.250 | 50 | 150 | 650 | 1.200 | 565 | 1.045 | 7.700 | 9,7 | 3 | 422 | 455 | 1.082 |
| 3T451WA | 2.000 | 600 | 1.050-1.675 | 1.300 | 1.250 | 60 | 160 | 650 | 1.200 | 735 | 1.135 | 14.823 | 17,4 | 3 | 509 | 405 | 1.550 |
| 3T451WA | 2.000 | 600 | 1.050-1.675 | 1.300 | 1.250 | 60 | 160 | 650 | 1.200 | 735 | 1.135 | 14.823 | 17,4 | 4 | 481 | 380 | 1.620 |
| 4T451WA | 2.500 | 600 | 1.050-1.675 | 1.300 | 1.250 | 60 | 160 | 650 | 1.200 | 735 | 1.135 | 14.823 | 17,4 | 4 | 490 | 395 | 1.755 |



Pallet Turnover Clamp with Pusher T451WA



Qualities:

- Stable construction
- Rotation 360° endlesslyOptionally with sideshift available



- Increased sideshift for container stuffing upon request
- Lateral supporting plate upon request.
- Also available with sideshift, model T491WA on request

Product Images

