


Push-Pull with sheet saver T145S

1 hydraulic function - and built-in solenoid valve with accessory kit



Specification:

Mounted directly on to the fork carriage the KAUP Push-Pull with sheet saver T145S is the right choice when slip-sheets are regularly used as transport mode. In order to separate the complete load from the slip-sheet during pushing, the attachment is fitted with a so called pallet retainer. It grips the slip-sheet firmly while the load is pushed off so that the slip-sheet can be used several times.

Like all other KAUP Push-Pulls, this range also has a large surfaced carrying plate for transportation of palletless loads.



Attachment is serially designed without sideshift. It can be fitted with separate or valveblock sidesift upon request.



Attachment is operated hydraulically, i.e. supplied with oil from the forklift truck's hydraulic system. Truck requires one additional hydraulic function.



Push-Pull with sheet saver T145S

Technical specifications

Model											
1T145S	1.000	600	1.000	1.300	1.035	20	1.250	2	260	330	575
2T145S	1.700	600	1.000	1.300	1.035	25	1.250	2	265	345	635
2T145S	1.700	600	1.000	1.300	1.035	25	1.250	3	265	345	635
3T145S	2.400	600	1.000	1.300	1.035	30	1.250	3	270	365	690



Qualities:

- Solid construction
- Good visibility conditions through the attachment
- Good residual capacity
- Self supporting scissor system



- Lifting heights of more than 3.750 mm require an electric spring cable drum. See accessories in the pricelist.

Product Images

