


Rotator from 10T351 - 360° endless

1 hydraulic function



Specification:

For extra heavy cases: the KAUP Rotator 360° endless from 10T351. It owns an especially high torque and can use also heavy loads easily as carriages for example.



Attachment rotates hydraulically by 360° endless in both directions.



Attachment is serially designed without sideshift. It can be fitted with separate or valveblock sidesift upon request.



Attachment is operated hydraulically, i.e. supplied with oil from the forklift truck's hydraulic system. Truck requires one additional hydraulic function.



Attachment serially equipped with cylinder and sideshift protection.



Attachment supplied serially without forks. All forks in accordance with ISO 2330 can be used. Matching forks model T180 are available.



Rotator from 10T351 - 360° endless

Technical specifications

| Model | | | | | | | |
|--------|--------|-------|---------|-----|-----|-----|-------|
| 10T351 | 12.000 | 900 | 28.000 | 15 | 440 | 250 | 1.910 |
| 15T351 | 15.000 | 900 | 56.000 | 30 | 450 | 460 | 2.335 |
| 20T351 | 22.000 | 900 | 60.000 | 60 | 465 | 350 | 3.650 |
| 25T351 | 24.000 | 1.200 | 60.000 | 60 | 465 | 270 | 4.850 |
| 30T351 | 28.000 | 1.200 | 90.000 | 120 | 465 | 270 | 4.940 |
| 35T351 | 25.000 | 1.600 | 90.000 | 120 | 495 | 305 | 5.490 |
| 42T351 | 30.000 | 1.600 | 90.000 | 120 | 505 | 325 | 5.840 |
| 52T351 | 36.000 | 1.600 | 120.000 | 240 | 525 | 500 | 7.040 |



Qualities:

- Good visibility conditions
- Good residual capacity
- High torque
- Rotation 360° endlessly
- Robust construction with gear drive
- Lateral supporting fork and load stabilizers optionally



- With sideshift function model T391 available upon request. Other capacities available upon request.
- Other capacities available upon request.
- 1) CofG and weight measurements do not take the forks into account.
- In order to draw up an exact quotation for a large rotator to meet your requirements we require detailed information. Therefore it is advisable to contact our project team directly for a quotation.

Product Images

