



closed version - for KAUP attachments

Technical Data

Model	Suitable for fork section mm	E mm	D mm	G mm	Weight per piece kg
1T181G	100x40	126	66	1.200	27
1T181G	100x40	126	66	1.400	32
1T181G	100x40	126	66	1.600	36
1T181G	100x40	126	66	1.800	40
1T181G	100x40	126	66	2.000	44
1,5T181G	120x45	148	71	1.200	31
1,5T181G	120x45	148	71	1.400	36
1,5T181G	120x45	148	71	1.600	41
1,5T181G	120x45	148	71	1.800	46
1,5T181G	120x45	148	71	2.000	51
2T181G	120x50	148	76	1.200	32
2T181G	120x50	148	76	1.400	37
2T181G	120x50	148	76	1.600	42
2T181G	120x50	148	76	1.800	47
2T181G	120x50	148	76	2.000	52
2T181G	120x50	148	76	2.200	57
2T181G	120x50	148	76	2.400	62
4T181G	150x50	181	76	1.200	37
4T181G	150x50	181	76	1.400	43
4T181G	150x50	181	76	1.600	49
4T181G	150x50	181	76	1.800	55
4T181G	150x50	181	76	2.000	61
4T181G	150x50	181	76	2.200	67
4T181G	150x50	181	76	2.400	73
4,5T181G	150x60	181	86	1.200	39

Model	Suitable for fork section mm	E mm	D mm	G mm	Weight per piece kg
4,5T181G	150x60	181	86	1.400	45
4,5T181G	150x60	181	86	1.600	51
4,5T181G	150x60	181	86	1.800	57
4,5T181G	150x60	181	86	2.000	63
4,5T181G	150x60	181	86	2.200	69
4,5T181G	150x60	181	86	2.400	75

6T181G	150x70	181	96	1.200	41
6T181G	150x70	181	96	1.400	47
6T181G	150x70	181	96	1.600	53
6T181G	150x70	181	96	1.800	59
6T181G	150x70	181	96	2.000	65
6T181G	150x70	181	96	2.200	71
6T181G	150x70	181	96	2.400	77

8T181G	200x60	236	86	1.200	45
8T181G	200x60	236	86	1.400	53
8T181G	200x60	236	86	1.600	61
8T181G	200x60	236	86	1.800	69
8T181G	200x60	236	86	2.000	77
8T181G	200x60	236	86	2.200	85
8T181G	200x60	236	86	2.400	93

10T181G	200x70	236	96	1.200	47
10T181G	200x70	236	96	1.400	55
10T181G	200x70	236	96	1.600	63
10T181G	200x70	236	96	1.800	71
10T181G	200x70	236	96	2.000	79
10T181G	200x70	236	96	2.200	87
10T181G	200x70	236	96	2.400	95

Variations in dimensions upon request.

Criteria for choosing fork extensions: the fork extensions must be supported by at least 60 % of the existing fork length.

Fork extension capacity corresponds to capacity of forks.



Fork Extensions T181G

Specification:

With the closed KAUP Fork Extensions T181G normal hook-on fork prongs can be extended. This solution is the right choice if the available hook-on forks should be extended sometimes and not infinitely. For it the available hook-on forks draw in the hook-on fork shoe of the fork extensions and being arrested there.

Qualities:

- Robust construction
- An easy assembly
- Original forks of the stacker usable