


Double Sideshifter T252B

2 hydraulic functions



Specification:

The Double Sideshifter T252B is a part of the KAUP Multiple Sideshifter product range. This attachment extends the operation of every forklift truck as the Double Sideshifter can simultaneously pick up two transport units.



Attachment is operated hydraulically, i.e. supplied with oil from the forklift truck's hydraulic system. Truck requires two additional hydraulic functions.



Attachment supplied serially without forks. All forks in accordance with ISO 2330 can be used. Matching forks model T180 are available.



Attachment can be fitted with load backrest model T179.



Please note the additional information below the data table.



Double Sideshifter T252B

Technical specifications

Model																
2T252B-L	1.250	600	2	2	98	1.520	720	800-1.000	400	±100	138	66	232	187	1.350	36
2T252B-Q	1.250	600	2	2	98	1.780	800	980-1.300	580	±100	138	67	230	203	1.550	36
3T252B-L	1.750	600	2	3	85	1.520	720	800-1.000	400	±100	138	64	255	219	1.350	36
3T252B-Q	1.750	600	2	3	85	1.780	800	980-1.300	580	±100	138	66	251	237	1.550	36
4,5T252B-L	2.000	600	2	3	85	1.520	720	800-1.000	400	±100	148	66	260	274	1.350	36
4,5T252B-Q	2.000	600	2	3	85	1.780	800	980-1.300	580	±100	148	67	259	297	1.550	36
4,5T252B-Q	2.000	600	2	3	85	1.960	980	980-1.260	490	±100	148	69	256	314	1.650	36
5T252B-L	2.750	600	3	4	118	1.520	720	800-1.000	400	±100	153	74	315	348	1.460	41
5T252B-Q	2.750	600	3	4	118	1.780	800	980-1.300	580	±100	153	75	312	363	1.550	41
6T252B-L	2.000	1.200	4	4	135	1.520	720	800-1.000	400	±160	178	80	363	412	1.460	56
6T252B-Q	2.000	1.200	4	4	135	1.780	800	980-1.300	580	±160	178	81	360	436	1.600	56



Qualities:

- Very good residual capacity
- Good visibility conditions
- SMOOTHROLL- bottom hooks with compact rollers serially



- L = Pallet handling lengthwise / Q = Pallet handling crosswise
- Forks see model T180.
- Please observe necessary fork shank under-clearance.
- Capacities of 3T upwards with SOFTSTOP end-of-stroke slow-down.
- Higher capacities and other construction widths available upon request
- Load Backrest see model T179.

Product Images

