


Crane Jib T183C, T183CTM, T183CTH¹⁾



Specification:

Different versions of KAUP Crane Jibs are mounted directly onto the fork carriage. Combination with other attachments or with standard forks is, depending on the handling task, easily possible.

Depending on the version chosen, the crane hook can be either adjusted mechanically (T183C), the telescopic boom extended mechanically (T183CTM) or hydraulically (T183CTH).



Please note the additional information below the data table.



Crane Jib T183C, T183CTM, T183CTH¹⁾

Technical specifications

Model										
1T183C	1.500	500	500-1.200	7x100	1.110	2	120	358	--	115
2T183C	2.500	500	500-1.200	7x100	1.080	2	140	368	--	158
2T183C	2.500	500	500-1.200	7x100	1.080	3	140	368	--	158
3T183C	4.000	500	500-1.200	7x100	1.365	3	160	310	--	210
5T183C	6.000	600	600-1.200	4x150	1.255	4	200	359	--	270
7T183C	8.000	600	600-1.200	4x150	1.250	4	260	372	--	262
10T183C	6.600	1.200	1.175-2.000	5x165	1.165	4	260	685	--	585
1T183CTM	820	1.200	1.200-2.000	8x100	1.135	2	120	390	587	150
2T183CTM	1.470	1.200	1.200-2.000	8x100	1.230	2	140	359	537	181
2T183CTM	1.470	1.200	1.200-2.000	8x100	1.230	3	140	359	537	181
3T183CTM	2.350	1.200	1.200-2.000	8x100	1.310	3	160	349	524	245
5T183CTM	3.650	1.350	1.350-2.150	8x100	1.265	4	200	440	663	349
7T183CTM	5.000	1.350	1.350-2.150	8x100	1.265	4	220	433	631	373
1T183CTH	820	1.200	1.200-2.000	-	1.220	2	120	390	609	150
2T183CTH	1.470	1.200	1.200-2.000	-	1.230	2	140	359	570	181
2T183CTH	1.470	1.200	1.200-2.000	-	1.230	3	140	359	570	181
3T183CTH	2.350	1.200	1.200-2.000	-	1.320	3	160	349	543	245
5T183CTH	3.650	1.350	1.350-2.150	-	1.280	4	200	440	684	349
7T183CTH	5.000	1.350	1.350-2.150	-	1.270	4	260	433	672	373

Model										
10T183CTH	6.400	1.350	1.350-2.050	-	1.145	4	260	570	707	820



Qualities:

- Solid construction
- Good visibility conditions
- Simple assembly
- Original forklift truck forks can be used
- Combination with other attachments possible



- 1) T183C = hook manually adjustable
- T183CTM = mechanical telescope
- T183CTH = hydraulic telescope - 1 hydraulic function
- Note for CTH series: "Telescopic crane arm under load on request".
- Higher capacities upon request.

Product Images