



Fork Positioner T466ZH





Specification:

KAUP, as leading manufacturer of attachments, also has a comprehensive range of attachments for Reach Trucks. The Fork Positioner type T466ZH is one of them.

Individual details regarding wheel arms and ground clearance as well as the possible width of the attachment and other technical details make Reach Trucks very complex. Therefore it is advisable to contact our specialists directly for an individual consultation regarding our attachments and accessories for Reach Trucks.



Attachment is serially designed without sideshift. It can be fitted with separate or valveblock sidesift upon request.



Attachment is operated hydraulically, i.e. supplied with oil from the forklift truck's hydraulic system. Truck requires one additional hydraulic function.



Attachment is available for operation in explosion hazardous areas.



Fork Positioner T466ZH

Technical specifications

Model													
2T466ZH	1.900	600	325-1.285	1.250	40	50	120	1.200	2	126	258	191	270
2T466ZH	1.900	600	320-1.780	1.720	40	50	120	1.200	2	135	222	318	380
2T466ZH	1.900	600	320-1.900	1.860	40	50	120	1.200	2	135	219	324	390







Qualities:

- Hook-on Fork Positioner for Reach Trucks with extended fork shank
- Very good residual capacity
- Excellent visibility
- Supplied with welded forks
- Supplied optionally with screw on forks for wear intensive operation
- Opening range larger than the construction width
- Construction width of the attachment and opening range is not dependent on the width of the forklift truck carriage



Product Images



