





Helping hands for your Forklift truck

Load Backrests

T173 · T179 · T479



T173 · T179 · T479



Load Backrest T179


for fork carriages and sidershifter - bracket mounted version

Model	A mm	B mm	H mm	ISO cl.	Weight kg
1T 179	892	410	600	2	28
2T 179	1.042	410	600	2	31
4T 179	1.152	310	500	3	32
6T 179	1.802	480	735	4	105

Maximum height H = 1.000 mm, otherwise upon request.



T179



Load Backrest T173


for fork positioners T156 and T163N/SN - screw-on-carriage version

Model	B mm	H mm	ISO cl.	Weight kg
2T 173	1.040	470	2	30
4T 173	1.160	430	3	34
6T 173	1.400	730	4	87

Maximum height H = 1.000 mm, otherwise upon request.



T173




Load Backrest T479 - screw-on-body version
for KAUP ranges T160 , T410Z, T411, T411Z, T411ZR,
T411D, T412, T413, T414, T415, T406, T466

Model	B mm	H mm	Weight kg
1T 479	970	500	26
1,5T 479	970	500	26
2T 479	1.130	500	28
3T 479	1.130	500	28
4T 479	1.130	500	32
5T 479	1.330	500	37
6T 479	1.550	500	48
8T 479	1.860	500	55
10T 479	2.060	500	78

Maximum height H = 1.000 mm, otherwise upon request.



T479



Load Backrest T479.1

screw-on-body version - for KAUP ranges T160B / T466B up to 4.8T

Model	B mm	H mm	Weight kg
2T 479.1	990	500	19
3,5T 479.1	1.100	500	21
4,8T 479.1	1.300	500	24

Maximum height H = 1.000 mm.

Please note: load backrest width (B) corresponds to width of T160 / T466B range minus 50 mm.

Load Backrest T479.1 for KAUP integrated fork positioners T466BI and T466BIZ up to 4.8T available upon request.



T479.1

Load Backrest T179 · T173



Load Backrest T479



Load Backrest T479 · T479.1



KAUP attachments correspond to the requirements of the valid EC regulations regarding quality, safety and technical documentation.
All technical data are subject to alteration.

KAUP is certified acc. to DIN EN ISO 9001



Helping hands for your Forklift truck

KAUP GmbH & Co. KG

Braunstrasse 17 · D - 63741 Aschaffenburg

☎ +49 6021 865-0 · 📠 +49 6021 865-213

E-Mail: kaup@kaup.de · www.kaup.de